

Web Images Videos Maps News Gmail More

Sign in



Advanced search

Search

Page 2 of about 9,500 results (0.15 seconds)

Everything

Images

Maps

Videos

News

Shopping

Books

More

Alexandria, VA

Change location

All results

Related searches

More search tools

[PDF] Scheduling Resources in Programmable and Active Networks ...

www.cse.cmu.edu/~saurabh/papers/pan03sabrina.pdf

File Format: PDF/Adobe Acrobat - Quick View

by F. Sabrina - Cited by 8 - Related articles

networks, the **packet** scheduling schemes should consider multiple resources ... To make the resource **reservation** and admission ... challenge in providing QoS guarantees for **data flows** that compete for **packet** by the **active node**. In reality ...

[PDF] The ASP EE: An Active Network Execution Environment

www.sis.edu/civ7/publication_files/asp_se.pdf

File Format: PDF/Adobe Acrobat - Quick View

by R. Braden - Cited by 18 - Related articles

active node architecture [6]: programmable **packet** filters in the **packet** forwarding path. **data flow** architectures (Netscript [21, 7]) and a se- Resource **ReSeRVation** Protocol (RSVP): Version 1 functional specification. ...

Computer Networks/Error Control, Flow Control, MAC - Wikibooks ...

en.wikibooks.org/wiki/Error_Control,_Flow_Control,_MAC

Jun 9, 2011 - Burst error is also called **packet** level error, where errors like **packet** loss, duplication, reordering. ... **Flow Control** is one important design issue for the **Data Link Layer** single **active node** can continuously transmit at full rate of channel In Bit map **reservation**, stations reserves contention slots in advance. ...

[PDF] Download - FAIN

www.isi-fain.org/deliverables/FAIN_paper_V1.pdf

File Format: PDF/Adobe Acrobat - Quick View

by A. Galis-UCL - Related articles

The **active node** platform layer of the FAIN **Active Node** is comprised of the kernel . OS, a node resource mechanisms for identifying active **packets** from incoming **data flows**, and distributing them to Quality of Services (QoS) **reservations** ...

Introduction to High-Availability Clusters On Linux And Other Systems

www.haflux.org/files/1f2/#linux-ha-clusters.html

In order for the **data** to be accessible to several cluster nodes, it is placed on an external The **active node** constantly monitors the availability of the service and its resources. must be able to transparently re-connect to the server after getting a 'RST' **packet**. ... One common method of fencing, is using SCSI **reservation**. ...

[PDF] Implementation of A Congestion Control Scheme for Active ...

www.iti.cmu.edu/Projects/Wireless_ATM/thesis/sachin.ps

File Format: Adobe PostScript - View as HTML

by S. Sachin - Cited by 1 - Related articles

17. 3.5.3. ATMARP and ATMARP 18. 3.6. Real-time Transport Protocol - RTP 18. 3.6.1. RTP **Data Packets** ...

[PDF] Holdoff Algorithms for IEEE 802.16 Mesh Mode in Multi-hop ...

www.intel-shenzhen.com/download/dp/dp016.pdf

File Format: PDF/Adobe Acrobat - Quick View

The **data** subframe is used to transmit **data packets** and the control subframe is used to In the bandwidth **reservation** procedure, node A (requester) uses the Link ID to uniquely **Active node** (ACT) is a node that is part of an active route and sends, traffic **flows** for upload and **download** patterns are shown in Figs. ...

Service Time Approximation in IEEE 802.11 Single-Hop Ad Hoc ...

www.explore.ieee.org/iel5/5769/3444/32233/04432273.pdf?arnumber

by A Al-din et al - 2008 - Cited by 27 - Related articles

resource **reservation** decisions. In fact, using the ... resource **reservation** in ad hoc networks. The paper **(active) node** sends **data packets** to one unique receiver node. stochastic QoS guarantees for any type of traffic **flows** (as long as ...

PDF# Part B: Active Networks Techniques and Research What does it ...

user.it.uni-saarland.de/~schulzrin/fact/1997/2006/ldr2/slides/act2-4up.pdf

File Format: PDF/Adobe Acrobat - Quick View

Z An **Active Node** requires an underlying Operating System ... map "**data flow**" to header values. - tag switching ... Even in "strong active networking" does not every data **packet** need ... Z send one (or more) messengers for code **download**. ... resource **reservation** in advance, resource preemption ...

PDF# IPv6: Paving the Way for Active Networking12

www.it.uni-saarland.de/~schulzrin/papers/isaara_ipv6/isaara01.pdf

File Format: PDF/Adobe Acrobat - Quick View

any sort of processing to **packet flows** - usually above layer 3. In many ways, ... even the TFTP server where to **download** its OS from. If the main DHCP server is not ... Obviously, the address of the nearest **active node** could be obtained by Resource **ReSerVation** Protocol (RSVP) - Version 1 Func-

[Previous](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#)

[Next](#)

[Search Help](#)

[Give us feedback](#)

[Google Home](#)

[Advertising Programs](#)

[Business Solutions](#)

[Privacy](#)

[About Google](#)